



Truban[®]

30 WP



Fungicide

30% Wettable Powder

For control of damping-off, root and stem rot diseases caused by Pythium, Phytophthora, in ornamental and nursery crops.

- Fungicidal, not fungistatic. Kills, doesn't just suppress fungi.
- Long lasting, reducing number of applications needed.
- No known resistance after 20 years of use.
- Non-phytotoxic when used according to label directions.

PACKAGING

Unit Size:

2 lb.

Units Per Case: 6

STOCK #95204

(See next page
for label information)

Scotts-Sierra Crop Protection Company
14111 Scottslawn Road • Marysville, OH 43041

If you have any questions regarding the use of this product, call TOLL FREE 1-800-492-8255



Fungicide 30% Wettable Powder

ACTIVE INGREDIENTS:

Etridiazole**	30%
INERT INGREDIENTS	70%
TOTAL	100%

†CAS # 2593-15-9

*Licensed under U.S. Patents 3,260,588 and 3,260,725

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

HARMFUL IF SWALLOWED

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

EPA Reg. No. 58185-7
Product of U.S.A.

EPA Est. No. 228-IL-1
NET WEIGHT: 2 LBS. (907 g)
(Six 2 Lb. Containers)

© 2004, Licensed by, The Scotts Company. World rights reserved.

TRUBAN® is a registered trademark of Scotts-Sierra Crop Protection Company for its brand of Fungicide products.



Scotts-Sierra Crop Protection Company
14111 Scottslawn Road
Marysville, OH 43041
1-800-492-8255

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING! HARMFUL IF SWALLOWED, Inhaled, or absorbed through skin. May cause irritation. Avoid breathing spray mist. Avoid contact with skin, eyes and on clothing.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear:

- Coveralls over short sleeved shirt and short pants
- Chemical resistant gloves made of any waterproof material.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant headgear for overhead exposure.
- Chemical-resistant apron when cleaning equipment, mixing or loading.
- For exposure in enclosed areas, a (MHSA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MHSA/NIOSH approval number prefix TC-14G), or NIOSH approved respirator with an approved organic vapor (OV) cartridge or canister with any N.P. or HE filter.
- For exposures outdoors, a NIOSH approved respirator with R, P or HE filter.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep PPE separate from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

THIS PRODUCT IS TOXIC TO FISH. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not graze treated areas. Do not feed clippings to livestock.

PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

EXCEPTION: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls over short-sleeved shirt and short pants.
- Chemical-resistant gloves made of any waterproof material.
- Chemical-resistant footwear plus socks.
- Protective eyewear.
- Chemical-resistant headgear for overhead exposure.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

- Do not enter treated areas without protective clothing until sprays have dried.

CHEMIGATION

Refer to supplemental labeling entitled Chemigation Information for use directions for chemigation. Do not apply this product through any irrigation system unless the supplemental labeling on chemigation is followed.

FOR PROFESSIONAL USE ONLY

TRUBAN® is a soil fungicide for the control of damping off, root and stem rot diseases caused by Pythium and Phytophthora. It may be used at time of seeding and transplanting either mixed into the growing medium or as a drench to control the labeled pathogen in greenhouse and outdoor culture.

TRUBAN suspensions in water should be constantly agitated to assure uniform mixing and application. TRUBAN suspensions need not be protected from light. Use at recommended concentrations and rates. Overdosage may result in toxicity to sensitive plants. If plants are suspected of being sensitive, apply fungicide to a small number to insure safety. TRUBAN should not be mixed with other pesticides or nutrients unless adequately trialed first. Thoroughly rinse TRUBAN residues out of all equipment after use.

PLANT TYPE	REMARKS
BEDDING PLANTS Ageratum Impatiens Alyssum Larkspur Aster Marigold Balsam Pansy Begonia Petunia Calendula Portulaca Carnation Salvia Celosia Snapdragon Coleus Stokesia Dahlia Verbena Dianthus Vinca Foxglove Zinnia	BEDDING PLANTS (soil 2" to 3" deep). Mix 4-6 oz. of TRUBAN 30% W.P. with 100 gal. of water and apply to 800 sq. ft. of bed area (equivalent to 1 pint/sq. ft. of soil surface) and use at time of seeding and transplanting. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 4 to 8 week intervals if additional applications are necessary.
FOLIAGE PLANTS Aglaonema Anthurium Brassia Caladium Chinese Evergreen Dieffenbachia Echeveria Nephthytis Peperomia Philodendron Pilea Pothos Zygocactus	BENCH PLANTINGS OF TROPICAL FOLIAGE PLANTS (peat and other high organic growth media 6" deep or more). Mix 8-12 oz. of TRUBAN 30% W.P. with 100 gal. of water and apply to 400 sq. ft. of bench area (equivalent to 1 quart/sq. ft. of soil surface). Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Retreat at 8 to 12 week intervals to maintain disease control. BEDGROWN PLANTS Mix 3 to 10 oz. of TRUBAN 30% W.P. with 100 gal. of water per 400 sq. ft. (equivalent to 1 quart/sq. ft. of soil surface) or apply in sufficient volume to saturate the soil mixture. Re-treat at 4 to 12 week intervals if necessary.
CONTAINER & BEDGROWN HERBACEOUS African Violet Geranium Begonia Gerbera Calceolaria Gypsophila Carnation Heather Chrysanthemum Orchids Daphne Sinningia Easter Lily Statice WOODY Arborvitae Ligustrum Arctostaphylos Magnolia Camellia Norfolk Island Carissa Pine Ceanothus Poinsettia Fir Rhamnus Hemlock Rhododendron Juniper Southern Pine Laurel Western Pine Leucothoe Yew	CONTAINER & BEDGROWN PLANTS Mix 3 to 10 oz. of TRUBAN 30% W.P. with 100 gal. of water per 400 sq. ft. (equivalent to 1 quart/sq. ft. of soil surface) or apply in sufficient volume to saturate the soil mixture, such as 1/2 pint per 6" pot. Irrigate immediately with additional water equal to at least half the volume of the fungicidal drench for improved soil penetration of the fungicide. Re-treat at 4 to 12 week intervals if necessary.

MIXING INSTRUCTIONS

Add the recommended amount of Truban to the partially filled spray tank with the agitation running. Truban suspensions need not be protected from light. Overdosage may result in toxicity to sensitive ornamental plant. If plants are suspected of being sensitive, apply fungicide to a small number to insure safety. Apply uniformly to turf area with a mobile spray boom or other suitable equipment. Truban should not be mixed with other pesticides or nutrients unless adequately trialed first. Thoroughly rinse Truban residues out of all equipment after use.

STORAGE AND DISPOSAL

STORAGE: Not sensitive to light. Stable at normal temperatures and humidities. Store in a dry place in a well-closed container at temperatures above 45°F (7°C).

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT NOTICE: DISCLAIMER AND LIMITATION OF LIABILITY.

This product has been researched to provide necessary data to support its use on ornamentals. However, it is understood that tests may not have been carried out on all varieties and under all growing conditions. The user should always follow the label directions and exercise his judgment and caution when using this product on a given variety until familiar with the results under his growing conditions. NO WARRANTY OR REPRESENTATION IS MADE, EXPRESS, OR IMPLIED, CONCERNING THE RESULTS OBTAINED FROM THE USE OF THIS PRODUCT IF NOT USED IN ACCORDANCE WITH DIRECTIONS OR ESTABLISHED SAFE PRACTICE. The exclusive remedy of the user or Buyer, and the limit of liability of The Scotts Company or its affiliates, for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or Buyer for the quantity of this product involved. The Buyer and all users are deemed to have accepted the terms of this Notice, which may be varied only by agreement in writing, signed by a duly authorized representative of The Scotts Company.

SPECIMEN LABEL